

# Quality PANELS & TRIM

*“Safety First | Quality Always”*

## STANDARD COLOR OFFERINGS 26 GAUGE | GRADE 80 & GRADE 50



GALLERY BLUE\*



HAWAIIAN BLUE\*



BURNISHED SLATE\*



CHARCOAL GRAY\*



ASH GRAY\*



KOKO BROWN\*



DESERT SAND\*



SADDLE TAN\*



LIGHT STONE\*



EVERGREEN



POLAR WHITE\*\*



RUSTIC RED\*



CRIMSON RED\*



FERN GREEN\*



COLONY GREEN\*



GALVALUME PLUS

- **Final color selection should be made from actual color chips.**
- Warranty info available upon request.
- Solar Reflectivity (SR): Solar reflectivity or reflectance is the measure of a material's ability to reflect solar energy or sunlight from its surface. A value of 0 indicates that the surface absorbs all solar energy. A value of 1.0 indicates that the surface reflects all solar energy and a value of 1.0 indicated total reflectance. ENERGY STAR requires an SR value of 0.25 or higher for steep slope roofing (above 2:12) and a SR value of 0.65 or higher for low slope roofing (2:12 or less). \*For more information, please visit [www.energystar.gov](http://www.energystar.gov).
- Solar Reflectance Index (SRI): The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. To meet LEED requirements, a roofing material must have an SRI of 29 or greater for steep slope roofing and an SRI value of 78 or higher for low slope roofing. \*For more information visit [www.usgbc.org](http://www.usgbc.org).
- Other colors available upon request.

400 Old Quitman Road | Adel, GA 31620 | P: (229) 896-4335